



SOYBEANS

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary


YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

SPT00	CROPLAN							Asgrow				NK					B019EE	Pioneer		Plot Mean	LSD (.10)
	CP00319X	CP00710X	CP00711X	CP00729E	CP00777X	CP00847X	CP00926X	AG007X0	AG008X1	AG009X8	AG02X8	S006-R7X	S008-E3	S01-C4X	S02-E3	S02-F9X		P00A49X	P00A75X		
Cando-ND	44	52	40	60	62	54	59	58	60	55	54	57	57	50	54	64	63	56	58	55.5	4.9
Hannaford-ND	54	57	55	58	55	54	63	53	56	56	63	55	60	61	65	64	62	59	63	58.6	4.9
Harvey-ND	60	60	64	66	63	63	65	62	70	60	60	69	64	68	62	65	69	67	73	64.7	4.1
Larimore-ND	62	62	N/A	59	58	59	61	68	64	62	58	58	59	62	59	61	57	59	54	60.0	5.9
Washburn-ND	29	31	31	31	32	28	35	27	32	32	32	32	33	34	29	35	29	31	33	31.4	4.6
Overall Ave	49.8	52.4		54.6	53.9	51.5	56.7	53.7	56.2	52.8	53.1	54.3	54.7	55.0	53.8	57.9	56.0	54.1	56.2	54.0	
Overall % of Mean	92%	97%		101%	100%	95%	105%	99%	104%	98%	98%	100%	101%	102%	100%	107%	104%	100%	104%		

*Gray font denotes WinPak Component only



SOYBEANS

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean


YIELD Greater than Mean of all Locations

Irrigated Location

SPT04	CROPLAN											Asgrow					NK					Brevant			Credenz			Pioneer	Plot Mean	LSD (.10)
	CP0200X	CP0264RR	CP0268X	CP0329E	CP0337X	CP0400X	CP0411X	CP0421E	CP0426X	CP0520E	CP0529E	AG01X9	AG02X8	AG03X7	AG05X9	AG06X8	S03-E3	S03-S6X	S04-Q7X	S05-2E3	S05-N5X	B040EE	B049EE	B049RX	CZ0309GTLL	CZ0419GTLL	CZ0590GTLL	P03A17X		
Enderlin-ND	66	65	60	64	67	59	64	60	64	61	65	57	63	62	61	60	66	60	66	61	61	60	62	62	65	63	60	61	62.6	3.3
Evansville-MN	60	68	57	69	66	71	68	66	67	70	71	56	65	63	76	65	67	64	70	67	73	72	70	67	72	72	75	52	67.3	4.5
GlenUllin-ND	35	31	32	35	36	29	33	31	32	31	30	30	32	31	32	29	34	37	31	32	28	29	27	34	29	27	24	33	31.1	2.9
Harvey-ND	72	76	58	72	70	69	72	58	73	65	64	64	72	51	67	56	73	73	68	59	72	65	68	71	70	57	63	65	66.7	6.4
Hazelton-ND	33	30	28	34	36	35	38	27	33	30	40	32	32	33	33	33	38	35	32	33	34	32	28	34	38	40	34	39	33.7	4.3
Tappen-ND	41	38	42	48	52	49	52	47	43	45	48	48	44	51	49	47	48	49	42	46	44	49	48	45	45	51	47	44	46.6	8.1
Ulen-MN	62	65	60	72	62	59	62	58	64	64	69	62	63	65	62	62	68	61	64	61	66	66	49	62	64	57	62	66	63.1	5.9
Wahpeton-ND	48	55	47	54	61	58	45	54	52	62	62	41	43	N/A	70	59	53	43	58	56	57	61	72	55	62	65	69	36	56.0	10.4
Overall Ave***	52.2	53.5	48.2	56.0	56.2	53.5	54.3	50.2	53.4	53.5	56.0	48.6	51.6		56.2	51.3	55.9	52.8	53.8	51.8	54.5	54.2	52.8	53.6	55.5	54.0	54.3	49.4	53.4	
Overall % of Mean	98%	100%	90%	105%	105%	100%	102%	94%	100%	100%	105%	91%	97%		105%	96%	105%	99%	101%	97%	102%	101%	99%	100%	104%	101%	102%	92%		
Yield Env <50 bu	36	33	34	39	42	38	41	35	36	35	39	37	36	38	38	36	40	41	35	37	35	37	34	37	37	39	35	38	37.1	
Yield Env >50 bu	62	66	56	66	65	63	62	59	64	64	66	56	61	60	67	60	65	60	65	61	66	65	64	63	67	63	66	56	62.8	

*Gray font denotes WinPak Component only

***Frost Damaged locations have been removed from the overall average



2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

SPT08	CROPLAN										Asgrow				NK			Brevant			Credenz			Pioneer			Plot Mean	LSD (.10)
	CP0678X	CP0700X	CP0721E	CP0819X	CP0820E	CP0821E	CP0878X	CP0919X	CP0957RR	CP0970X	AG08X0	AG09X9	AG10X9	AG11X8	S07-E3	S07-Q4X	S09-D4X	B079EE	B090EE	B100RX	CZ0419GTLL	CZ0590GTLL	CZ0729GTLL	P06A45X	P08A72X	P09A62X		
Britton-SD	68	66	63	73	72	76	70	76	81	72	68	64	74	64	78	67	73	72	65	72	72	70	68	77	63	65	70.3	8.1
Enderlin-ND	54	65	57	61	64	62	64	63	63	59	59	59	63	58	64	62	63	57	55	62	62	61	58	58	57	60	60.3	4.7
Evansville-MN	64	71	77	71	68	71	72	76	75	72	65	68	79	78	74	74	78	72	73	76	73	73	64	66	74	80	72.3	3.9
Hazelton-ND	39	38	43	36	45	38	37	46	36	39	40	41	N/A	N/A	37	37	47	41	36		44	36	46	38	40	39	39.8	6.8
Santiago-MN	56	63	56	67	51	60	57	63	79	66	56	58	70	65	68	53	72	62	64	67	68	60	60	66	43	52	61.6	8.5
Tappen-ND	41	47	52	50	46	50	46	45	41	48	39	44	49	41	45	53	46	39	44	39	50	43	40	43	46	44	45.2	5.9
Ulen-MN	64	66	58	62	63	64	64	63	70	65	70	64	67	70	70	71	68	62	65	66	65	68	61	68	61	68	65.4	6.6
Wahpeton-ND	69	70	60	68	71	69	65	62	68	67	62	66	69	70	70	66	72	77	71	73	68	73	80	62	69	73	68.9	12.1
Warner-SD	42	51	51	52	53	51	56	53	54	53	46	53	52	54	48	46	58	52	52	51	48	52	51	50	54	50	51.2	7.2
Overall Ave	57.3	62.4	59.4	62.9	61.1	62.7	61.8	62.6	66.2	62.7	58.0	59.3	65.5	62.5	64.5	61.7	66.1	61.6	60.9	63.1	63.4	62.5	60.3	61.4	58.3	61.4	61.9	
Overall % of Mean	93%	101%	96%	102%	99%	101%	100%	101%	107%	101%	94%	96%	106%	101%	104%	100%	107%	99%	98%	102%	102%	101%	97%	99%	94%	99%		
ND Ave	51	55	53	54	57	55	53	54	52	53	50	52	61	56	54	55	57	54	51	58	56	53	56	50	53	54	54.1	
SD Ave	55	59	57	62	62	63	63	65	68	62	57	58	63	59	63	57	65	62	59	61	60	61	60	64	59	57	60.8	
MN Ave	64	68	68	67	66	67	68	69	72	69	67	66	73	74	72	73	73	67	69	71	69	71	62	67	67	74	68.9	
Yield Env >60	63	67	62	67	65	67	65	67	73	67	63	63	70	67	70	66	71	67	65	69	68	67	65	66	61	66	66.5	
Yield Env <60	41	45	49	46	48	46	46	48	43	47	42	46	51	48	43	45	50	44	44	45	47	44	46	44	46	44	45.7	

*Gray font denotes WinPak Component only



Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations


Irrigated Location

SPT12	CROPLAN										Asgrow					NK			Brevant			Credenz			Pioneer		Plot Mean	LSD (.10)
	CP0970X	CP1021E	CP1078X	CP1100X	CP1111X	CP1120E	CP1121E	CP1329E	CP1420E	CP1421E	AG09X9	AG10X9	AG11X8	AG14X0	AG14X8	S12-TX2	S13-E3	S14-U9X	B100RX	B119EE	B130EE	CZ1139GTLL	CZ1280GTLL	CZ1470GTLL	P10A76X	P14A30X		
Britton-SD	64	67	64	65	72	64	67	67	66	59	71	77	63	61	66	64	71	67	62	60	66	67	62	62	66	71	65.7	9.7
Claremont-MN	50	63	54	58	62	56	59	64	58	61	59	56	62	62	65	55	66	67	64	52	55	62	62	53	58	66	59.6	7.7
Danube-MN	62	64	65	65	64	71	75	68	69	60	59	61	63	61	65	58	67	70	66	68	68	61	55	57	68	68	64.5	6.4
Huron-SD	60	64	60	63	68	70	69	61	63	58	63	71	73	61	72	54	65	63	56	65	64	72	66	65	65	67	64.5	7.6
LeSueur-MN	71	69	70	67	63	72	74	79	70	73	63	71	68	69	72	66	76	78	68	73	81	66	69	74	73	69	70.8	5.6
Minneota-MN	67	62	69	65	71	67	73	68	68	67	71	68	65	57	66	64	69	67	66	70	67	65	60	59	67	72	66.5	6.4
Murdock-MN (IF Iron)*	81	73	66	63	62	63	53	59	61	49	57	58	63	49	61	53	67	63	62	66	68	62	55	57	66	69	61.8	18.0
Murdock-MN (No IF Iron)*	32	19	41	33	18	30	27	26	18	20	24	29	21	27	11	29	31	17	39	33	28	13	6	7	33	37	25.0	16.7
Pierre-SD	76	78	74	69	76	73	73	84	75	70	68	69	83	70	78	61	78	74	72	76	74	78	76	81	65	75	73.9	8.2
Tappen-ND	47	50	47	41	45	49	49	45	41	31	41	38	48	43	43	37	44	42	45	41	42	36	42	40	48	44	43.1	6.5
Wabasso-MN	66	68	69	69	74	70	77	70	69	65	65	65	64	65	69	70	72	75	66	73	72	60	63	64	70	73	68.5	6.2
Warner-SD	50	47	50	49	49	47	50	48	50	47	53	49	49	44	45	51	45	58	46	51	49	45	39	43	50	52	48.3	6.8
Overall Ave*	62.3	63.7	62.4	62.1	65.7	64.9	67.2	64.9	62.7	58.3	62.1	63.9	64.5	59.4	64.0	59.6	65.7	66.0	62.5	63.6	63.2	61.6	59.8	59.5	63.8	66	63.1	
Overall % of Mean	99%	101%	99%	98%	104%	103%	107%	103%	99%	92%	98%	101%	102%	94%	101%	94%	104%	105%	99%	101%	100%	98%	95%	94%	101%	105%		
MN Ave	63	65	65	65	67	67	72	70	67	65	63	64	64	63	67	63	70	72	66	67	69	62	62	61	67	70	66.0	
SD Ave	58	59	58	59	63	60	62	59	60	55	62	66	61	55	61	56	60	63	55	59	60	61	56	56	60	63	59.5	
Yield Env <60	49	49	49	45	47	48	49	47	45	39	47	44	49	43	44	44	44	50	46	46	45	40	41	42	49	48	45.7	
Yield Env >60	66	67	66	65	68	67	69	69	66	62	64	66	67	62	68	61	70	70	65	67	68	66	63	63	66	70	66.2	

*Gray font denotes WinPak Component only

*IDC was a big issue at Murdock-MN location: there was a trial with in-furrow (IF) Iron applied and a trial without IF iron. LSD's were high because of the inconsistent nature of IDC.

*Murdock not included in average.



Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations


Irrigated Location

SPT16	CROPLAN									Asgrow					NK				Brevant			Credenz			Pioneer				Plot Mean	LSD (.10)
	CP1329E	CP1400X	CP1411X	CP1420E	CP1421E	CP1600X	CP1611X	CP1659LG	CP1721E	AG14X0	AG14X8	AG16X0	AG17X8	AG18X0	S16-K2X	S17-E3	S18-G4X	S18-H3X	B149EE	B159RX	B169EE	CZ1470GTLL	CZ1660GTLL	CZ1850GTLL	P14A30X	P15A88X	P16A49X	P16T58E		
Britton-SD	70	59	74	59	56	77	67	61	69	60	76	74	65	67	73	71	70	69	69	62	71	63	57	65	60	74	60	70	66.6	10.1
Claremont-MN	63	64	60	61	60	64	67	68	67	62	63	70	65	63	57	64	66	61	61	62	60	57	68	65	66	68	61	57	63.2	5.4
Danube-MN	67	69	67	76	57	63	74	63	72	66	69	75	67	71	64	63	68	68	70	63	70	65	61	62	65	71	72	67	67.2	6.5
Huron-SD	68	73	65	63	57	70	74	71	65	59	62	65	65	60	60	67	64	68	59	63	59	60	71	64	66	64	67	66	64.8	8.3
Lake Vermillion-SD	72	79	78	75	66	80	78	83	76	70	74	85	73	76	73	78	67	73	77	77	74	77	81	80	77	75	79	76	76.0	8.2
LeSueur-MN	75	71	63	77	69	77	72	76	74	66	67	80	75	75	76	82	78	77	76	72	78	72	68	76	62	75	77	78	73.7	5.6
Minneota-MN	69	74	60	64	60	65	76	71	61	60	67	67	61	61	64	68	69	71	65	60	65	73	66	64	69	69	66	62	65.9	8.7
Murdock-MN (IF Iron)*	65	65	51	57	48	55	47	56	45	47	54	61	57	57	53	52	66	68	54	55	64	59	63	62	54	66	52	48	56.5	12.7
Murdock-MN (No IF Iron)*	40	30	28	25	1	16	13	31	8	4	28	25	5	36	16	1	38	21	25	11	4	16	27	25	38	33	25	16	20.9	18.7
Pierre-SD	65	76	71	78	80	71	76	79	82	73	81	83	73	81	78	87	71	80	80	73	79	78	76	77	80	74	79	82	77.2	6.2
Truman-MN	86	85	87	88	80	88	91	93	92	79	89	90	85	87	82	89	85	89	88	89	84	84	91	85	93	89	86	87	87.1	6.7
Wabasso-MN	68	66	61	69	65	69	71	70	66	60	66	72	66	65	67	68	64	69	65	67	63	66	69	63	66	76	72	65	66.9	7.4
Wanamingo-MN	77	76	75	78	71	79	84	86	82	72	74	80	72	72	75	75	74	79	82	77	77	75	87	78	75	78	74	81	77.2	5.5
Warner-SD	49	56	56	48	47	55	50	49	47	49	51	60	54	50	64	52	63	59	54	44	50	44	51	46	55	58	52	51	52.3	5.7
Worthington-MN	72	63	66	70	59	68	74	83	68	57	68	74	74	74	81	73	65	73	72	66	67	65	75	65	64	70	69	71	69.3	11.1
Overall Ave*	69.1	69.9	67.8	69.7	63.5	71.2	73.3	73.3	70.7	64.1	69.8	74.8	68.7	69.3	70.2	72.0	69.5	71.9	70.6	67.2	68.8	67.5	70.9	68.5	69.1	72.3	70.1	70.2	69.8	
Overall % of Mean	99%	100%	97%	100%	91%	102%	105%	105%	101%	92%	100%	107%	99%	99%	101%	103%	100%	103%	101%	96%	99%	97%	102%	98%	99%	104%	101%	101%		
SD Ave	66	69	69	66	61	71	70	69	68	64	70	73	67	65	70	70	66	71	67	66	65	66	68	67	69	69	69	70	68.0	
MN Ave	71	70	66	71	63	70	73	74	70	63	69	74	69	69	69	70	71	73	70	68	70	68	72	69	68	73	70	69	69.7	
Yield Env <65 bu	61	65	58	57	53	61	59	61	56	54	58	64	60	57	59	59	65	64	57	56	58	55	63	59	60	64	58	56	59.2	
Yield Env >65 bu	72	72	70	73	66	74	76	76	74	66	73	78	71	73	73	75	71	75	74	70	73	72	73	72	71	75	73	74	72.7	

*Gray font denotes WinPak Component only

*IDC was a big issue at Murdock-MN location: there was a trial with in-furrow (IF) Iron applied and a trial without IF iron. LSD's were high because of the inconsistent nature of IDC.

*Murdock not included in overall average



Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary




YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

SPT20	CROPLAN									Asgrow					NK				Brevant			Credenz			Pioneer				Plot Mean	LSD (.10)
	CP1721E	CP1820E	CP1827X	CP1921E	CP1960X	CP2021E	CP2120E	CP2121E	CP2128X	AG18X0	AG19X0	AG20X9	AG21X9	AG22X9	S20-E3	S20-J5X	S21-W8X	S22-E3	B209EE	B210EE	B228RX	CZ1859GTLL	CZ2040GTLL	CZ2230GTLL	P18A98X	P19A14X	P20T64E	P21A28X		
Claremont-MN	64	64	64	67	65	58	66	65	65	64	67	64	63	63	64	67	66	58	62	65	62	65	64	64	68	65	64	66	64.2	5.0
Danube-MN	74	82	68	74	70	71	77	77	74	73	69	72	74	73	77	69	77	70	76	70	73	64	71	68	71	76	77	78	73.0	5.3
Hartington-NE	51	52	49	52	50	53	54	53	56	52	50	62	52	54	54	54	53	53	46	56	52	53	51	53	55	59	50	53	52.9	4.0
Huron-SD	77	65	56	66	59	62	59	73	67	63	66	57	60	66	65	66	63	63	67	58	61	75	69	57	66	68	68	63	64.3	7.0
Lake Vermillion-SD	74	63	82	64	64	66	67	75	73	71	64	77	77	84	77	78	77	59	65	70	75	71	68	64	63	74	77	72	71.2	9.2
LeSueur-MN	75	75	75	81	76	81	85	83	79	72	76	75	76	75	85	84	83	80	86	79	77	77	80	81	76	75	82	82	78.9	4.0
Minneota-MN	74	73	71	68	71	65	69	63	76	65	63	60	72	68	70	69	76	64	71	69	71	66	67	63	73	68	79	76	69.2	7.8
Murdock-MN	61	58	56	62	62	61	68	67	68	59	66	39	58	63	56	58	68	58	62	57	64	60	63	62	60	63	61	68	60.9	9.6
Pierre-SD	83	72	83	74	82	73	82	72	82	74	82	75	70	81	76	83	79	74	77	76	69	77	77	68	78	77	83	82	77.2	8.3
Pukwana-SD	85	72	80	76	89	85	85	73	86	88	77	80	95	83	80	87	86	76	83	79	103	94	88	82	83	91	77	83	83.8	10.6
Sheldon-IA	69	70	69	62	72	77	75	74	72	69	69	76	74	73	74	78	79	67	70	72	68	71	73	69	74	77	79	74	72.3	7.7
Truman-MN	94	94	88	96	90	84	94	86	91	89	92	93	92	89	96	98	94	85	87	87	89	89	81	92	89	93	90	88	90.3	7.0
Wabasso-MN	63	64	58	70	64	57	69	69	69	62	59	66	71	60	69	70	67	65	64	57	63	60	56	64	63	68	60	63	63.9	6.4
Wanamingo-MN	81	80	73	75	76	83	83	87	73	74	79	75	78	79	80	70	82	73	84	74	72	80	83	75	72	68	79	77	77.3	4.3
Worthington-MN	74	76	74	59	67	79	65	68	68	70	72	71	76	77	75	67	74	74	75	67	65	72	73	58	77	71	73	74	71.1	9.2
Overall Ave	73.2	70.6	69.8	69.7	70.4	70.4	73.1	72.2	73.3	69.6	70.1	69.4	72.5	72.6	73.2	73.1	74.8	67.9	71.6	68.9	70.9	71.5	70.9	67.9	71.1	72.8	73.3	73.2	71.4	
Overall % of Mean	103%	99%	98%	98%	99%	99%	102%	101%	103%	98%	98%	97%	102%	102%	103%	102%	105%	95%	100%	97%	99%	100%	99%	95%	100%	102%	103%	103%		
SD Ave	80	68	75	70	74	72	73	73	77	74	72	72	75	79	75	79	76	68	73	71	77	79	75	68	73	78	76	75	74.1	
MN Ave	73	74	70	72	71	71	75	74	74	70	71	68	73	72	75	72	76	70	74	69	71	70	71	70	72	72	74	75	72.1	
Yield Env >65 bu	78	76	76	73	76	76	78	76	77	74	74	75	78	78	79	78	81	72	77	74	76	76	76	72	76	77	80	78	76.4	
Yield Env <65 bu	63	61	57	63	60	58	63	65	65	60	62	58	61	61	61	63	63	59	60	59	60	62	60	60	62	64	60	63	61.2	

*Gray font denotes WinPak Component only



Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

SPT24	CROPLAN										Asgrow				NK				Brevant			Credenz			Pioneer						Plot Mean	LSD (.10)
	CP2128X	CP2200X	CP2219X	CP2321E	CP2400X	CP2487X	CP2520E	CP2521E	CP2529E	CP2578X	AG22X9	AG23X9	AG26X0	AG26X8	S23-G5X	S24-E3	S25-V8X	S26-E3	B240EE	B259EE	B269EE	CZ2230GTLL	CZ2360GTLL	CZ2550GTLL	P22T86E	P23A15X	P23A32X	P24A80X	P24T76E	P25A27X		
Albion-NE	89	86	85	82	92	90	92	89	85	89	81	61	85	86	85	86	85	82	87	81	89	83	86	88	83	84	88	84	85	76	84.8	3.7
BattleCreek-NE	71	76	66	75	76	76	79	78	73	79	79	72	75	76	74	71	81	75	72	71	76	74	77	71	69	71	71	72	73	74	74.1	5.2
Hartington-NE	57	58	48	49	52	54	53	51	49	53	55	50	52	51	56	52	51	52	51	50	51	43	46	50	50	52	54	49	51	50	51.3	4.2
Lake Vermillion-SD	71	68	75	74	61	67	63	63	62	66	70	77	60	56	63	68	65	63	58	58	62	72	69	66	70	68	70	71	75	64	66.3	7.6
Pukwana-SD	83	79	91	77	81	83	78	73	78	80	72	80	70	76	78	77	88	85	74	82	87	77	78	78	71	83	86	84	70	85	79.4	10.1
Sheldon-IA	76	71	80	75	73	79	69	71	69	78	79	74	64	62	74	69	69	72	73	69	72	72	77	75	79	69	75	71	67	69	72.4	8.6
Truman-MN	90	92	91	81	91	93	90	92	83	94	87	84	83	80	92	86	82	83	86	85	89	85	89	86	92	87	88	87	89	82	87.3	4.4
Worthington-MN	73	71	71	65	74	74	72	73	63	69	77	64	65	65	69	62	81	70	78	68	74	66	75	67	85	76	72	72	77	76	71.4	7.3
Overall Ave	76.1	75.0	75.8	72.2	75.0	77.0	74.3	73.7	70.3	75.9	75.0	70.2	69.1	69.0	73.8	71.3	75.2	72.6	72.1	70.3	75.0	71.3	74.6	72.6	74.9	73.7	75.4	73.9	73.4	72.0	73.4	
Overall % of Mean	104%	102%	103%	98%	102%	105%	101%	100%	96%	104%	102%	96%	94%	94%	101%	97%	102%	99%	98%	96%	102%	97%	102%	99%	102%	100%	103%	101%	100%	98%		
Yield Env <70 bu	64	63	61	61	56	61	58	57	56	59	62	63	56	53	60	60	58	57	54	54	57	57	57	58	60	60	62	60	63	57	58.8	
Yield Env >70 bu	80	79	81	76	81	83	80	79	75	81	79	73	74	74	79	75	81	78	78	76	81	76	80	78	80	78	80	78	77	77	78.2	

*Gray font denotes WinPak Component only



Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

2020 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

SPT28	CROPLAN						Asgrow					NK				Brevant			Credenz				Pioneer				Plot Mean	LSD (.10)
	CP2700X	CP2708X	CP2829E	CP2920E	CP2921E	CP2960X	AG26X0	AG26X8	AG27X0	AG29X9	AG30X9	S27-M8X	S29-K3X	S30-E3	S30-M9X	B259EE	B260EE	B289EE	CZ2550GTLL	CZ2760GTLL	CZ2830GTLL	CZ2910GTLL	P27A17X	P28A42X	P28T14E	P29A25X		
Albion-NE	86	80	87	85	84	81	81	83	79	81	80	80	84	77	84	79	86	89	86	89	89	84	78	91	86	84	83.7	6.0
BattleCreek-NE	80	72	74	74	72	65	76	73	69	62	69	79	72	69	79	68	66	70	76	80	68	73	71	74	72	73	72.1	5.4
Hartington-NE	49	48	47	46	43	52	46	51	48	51	47	44	48	45	49	48	48	41	48	35	40	44	50	52	41	47	45.9	4.1
Pukwana-SD	86	82	92	87	78	85	75	83	83	88	86	81	76	90	77	79	80	97	90	97	82	83	87	80	91	88	84.4	9.5
Sheldon-IA	56	69	72	73	83	N/A	65	79	76	68	72	72	74	80	77	69	76	75	79	77	75	74	79	76	75	75	74.3	7.6
Overall Ave	71.3	70.3	74.3	73.0	72.0		68.7	73.4	70.9	70.0	70.4	71.1	70.6	72.1	73.1	68.3	71.1	74.4	75.6	75.5	70.7	71.7	72.7	74.4	73.0	73.5	72.1	
Overall % of Mean	99%	97%	103%	101%	100%		95%	102%	98%	97%	98%	99%	98%	100%	101%	95%	99%	103%	105%	105%	98%	99%	101%	103%	101%	102%		

*Gray font denotes WinPak Component only